

Photocatalytic Activity...

by Agung Tri Prasetya

Submission date: 29-Aug-2019 09:49AM (UTC+0700)

Submission ID: 1164651650

File name: el_pada_Asian_Journal_of_Chemistry_29-2_Anggota_2017_Scopus.pdf (913.21K)

Word count: 2992

Character count: 16035



Photocatalytic Activity and Antimicrobial Properties of TiO₂-SiO₂-PVA Composite

SRI WAHYUNI^{1,*}, AGUNG TRI PRASETYA^{1,*} and INDRIANA KARTINI²

¹Department of Chemistry, Faculty of Mathematics and Natural Sciences, Universitas Negeri Semarang, Gunung Pati 50229, Indonesia

²Department of Chemistry, Faculty of Mathematics and Natural Sciences, Universitas Gadjah Mada, Sekip Utara, Yogyakarta, 55281, Indonesia

*Corresponding authors: E-mail: sri.wahyuni2808@mail.ugm.ac.id; zifaluzi@gmail.com

Received: 1 July 2016;

Accepted: 28 September 2016;

Published online: 30 November 2016;

AJC-18146

A series of silica-titania nanocomposite with different mole ratios was prepared in the presence of polyvinyl alcohol by the sol-gel method. Several characterization techniques were adopted such as N₂-adsorption-desorption, X-ray diffraction, Fourier transform infrared spectroscopy, transmission electron microscope and scanning electron microscope connected with energy dispersive spectroscopy. The photocatalytic activity of the composites was investigated using methylene blue as a model pollutant. The results showed that the TiO₂-SiO₂ composites give a better performance than TiO₂ alone. The TiO₂-SiO₂-30 composites (SiO₂/TiO₂ mole ratio = 0.3) gives the best result of methylene blue removal among the synthesized composites. The antimicrobial activity of the composites was evaluated by observing the inhibition of *E. coli* growth under UV irradiation at a wavelength of 368 nm. All nanocomposites give antimicrobial activity by inhibiting *E. coli* growth except the composite without UV irradiation.

Keywords: Nanocomposite, Sol-gel method, Antimicrobial activity.

INTRODUCTION

In the last two decades, due to the non-toxic and its special properties, titanium oxide nanoparticles have attracted a great deal of attention as potential photocatalysts to address urgent and global environmental concerns. The photocatalytic degradation of various toxic compounds in aqueous solutions using fine titanium oxide particles has been studied by many researchers [1-3]. Titanium dioxide has been widely used as a white pigment in a broad variety of applications, such as coatings, cosmetics, food stuff and extensive potential applications, due to its unique physical and chemical properties. Titanium dioxide is largely used as photocatalyst due to its beneficial characteristics *e.g.*, high photocatalytic efficiency, physical and chemical stability, low cost and low toxicity [4-6]. It is well known that TiO₂ in anatase crystalline form, which is biologically and chemically inert, can be used as an excellent photocatalyst material in the hydrophilic self-cleaning coatings and widespread photocatalytic purposes under UV/visible light irradiation [7].

Recently, silica, titania and silica-titania materials have been obtained by sol-gel methods extensively. The sol-gel process is expected to offer unique advantages for the preparation of such highly dispersed materials photocatalysts, especially to be applied to coating material, active thin film photocatalysts and multicomponent ceramics [8-10]. The chemical and physical

properties of titania-silica material depend on both the composition and the degree of homogeneity. Therefore, different synthesis strategies have been developed such as coprecipitation, flame hydrolysis, impregnation and chemical vapour deposition [11]. The sol-gel route has demonstrated a high potential for controlling the bulk and surface properties of the oxides [12,13]. In the present study, TiO₂-SiO₂ nanocomposite was synthesized *via* the sol-gel method in the presence of polyvinyl alcohol at room temperature [14]. TiO₂-SiO₂ composites are very promising in the field of heterogeneous photocatalysis since they could enhance photocatalytic activity compared to pure TiO₂ photocatalyst. The effect of mole ratio SiO₂/TiO₂ on particles size and photocatalytic activity were investigated.

EXPERIMENTAL

The chemicals used in this study were titanium tetraisopropoxide (TTIP, 97 %, Sigma), as a titanium precursor, tetraethylorthosilicate (TEOS, 98 %, E-Merck), as silica source, polyvinyl alcohol (PVA) (E-Merck); methylene blue, HCl, NH₃ (25 wt %) and anhydrous ethanol (C₂H₅OH) from Merck. *Escherichia coli* (FNCC0051), were from laboratory stock of the Biological Sciences Department of Semarang State University. Other materials for bacteria cultivation, such as agar, yeast extract, sodium chloride, tryptone and plastic and Pyrex Petri dishes were used from conventional laboratory stock.

General procedure: The $\text{TiO}_2\text{-SiO}_2$ (TS) composite was prepared by the following method. In the synthesis of Sol A, TTIP was used as a precursor and was mixed with ethanol, aqueous solution of 0.1 M HCl and deionized water in the volume ratio 1:2:2:2, respectively. The mixture was stirred for 1 h and maintained in the pH range from 1 to 2. In Sol B, TEOS was mixed with 40 mL ethanol under nitrogen atmosphere and stirred for 1 h. Sol A was then added into Sol B and the mixture was stirred for 3 h at 60 °C. The aqueous solution of PVA (1 %) was added to the above mixture at the rate of 0.5 mL/min and was stirred for 2 h. The gel was dried at room temperature. Finally, the mixture was heated at 120 °C for 1 h. The powder was calcined at 500 °C for 3 h. The composite produced was denoted as $\text{TiO}_2\text{-SiO}_2$.

Detection method: Phase identification of the products was carried out by X-ray diffraction (XRD) obtained on Shimadzu diffractometer using $\text{CuK}\alpha$ line radiation. The crystallite size of the samples was determined by Scherrer equation [11]. Functional group analysis of the nanocomposite was performed using a Fourier transform infrared (FT-IR) spectrometer (Shimadzu-FTIR-8201PC). The morphology of the products was studied by transmission electron microscope (TEM, JEOL_JEM 1400). The specific surface area of the samples was determined by nitrogen adsorption-desorption using a surface area analyzer (NOVA Quantachrome). Surface morphology and their composition were studied using scanning electron microscope-energy dispersive spectroscopy (SEM-EDS) (Model JEOL JSM-6510).

Photocatalytic activity of the synthesized nanocomposites was evaluated by the degradation of methylene blue. All of the experiments were conducted in an opened Pyrex vessel of 25 mL capacity. The UV-B lamp was used as light source. The distance between the UV source and the vessels containing reaction mixture was fixed at 15 cm [15]. Antimicrobial activity of the nanocomposites was evaluated by agar dilution methods with *E. coli* as microbial tests [16]. The synthesized titanium dioxide agar plates were irradiated in a UV box, which contained four fluorescent blacklight tubes, 10 W each, with λ_{max} 368 nm [17]. The sample plates were collected immediately after the titanium dioxide agar plates were exposed to UV light for 60 min. The test plates were incubated at 36 °C for 18 h. The results then were inspected visually and the growth of the colony of bacteria was recorded. All tests and inoculation on each plate were run in duplicate [16].

RESULTS AND DISCUSSION

Fig. 1 shows the XRD patterns of TiO_2 and nanosized $\text{TiO}_2\text{-SiO}_2$ (with varying molar ratio of $\text{SiO}_2/\text{TiO}_2$) samples. All materials were calcined under the same condition in air at 500 °C for 3 h. TiO_2 and nanosized $\text{TiO}_2\text{-SiO}_2$ showed a clear anatase-type crystal structure. The sharp peaks and strong intensities indicated that crystallization was present and the higher the percentage of TiO_2 gave the higher intensity of peaks. The crystallite type of the $\text{TiO}_2\text{-SiO}_2$ nanocomposite particles was the pure anatase. The most intense reflection at $2\theta = 25.5^\circ$ is assigned to anatase (d101). Not much difference has been detected between patterns of TiO_2 and $\text{TiO}_2\text{-SiO}_2$ composites. The powders showed the crystalline pattern and




Fig. 1. XRD patterns of TiO_2 and $\text{TiO}_2\text{-SiO}_2$ at various molar ratios of $\text{SiO}_2/\text{TiO}_2$

the observed 'd' lines match the reported values for the anatase phase. The intensity of the characteristic peak of TiO_2 anatase phase decreased for $\text{TiO}_2\text{-SiO}_2$ compared to pristine TiO_2 due to the inclusion of amorphous SiO_2 . The decrease in crystallinity of titania by silica addition indicates that the crystalline anatase phase can be incorporated in the amorphous silicate framework by the formation of a solid solution of anatase and silica [17]. The peak associated with SiO_2 show that it is an amorphous form of silica. From the wide diffraction peaks, it can be deduced that the TiO_2 and $\text{TiO}_2\text{-SiO}_2$ particles are nanosized [18]. The grain size determined from the XRD pattern using the Sherrer formula is around 11-19 nm. The crystallite sizes of TiO_2 and $\text{TiO}_2\text{-SiO}_2$ are listed in Table-1.

TABLE-1
CRYSTALLITE SIZE AND BET SURFACE
AREA OF TiO_2 AND $\text{TiO}_2\text{-SiO}_2$

Catalysts	Phase	Crystallite size (nm)	Calcinations (°C)	Surface area (BET, m^2/g)
TiO_2	Anatase	19.57	450	98.0
$\text{TiO}_2\text{-SiO}_2\text{-15}$	Anatase	16.17	500	113.2
$\text{TiO}_2\text{-SiO}_2\text{-20}$	Anatase	15.53	500	184.4
$\text{TiO}_2\text{-SiO}_2\text{-25}$	Anatase	13.90	500	194.4
$\text{TiO}_2\text{-SiO}_2\text{-30}$	Anatase	11.90	500	214.8

The crystallite size data (Table-1) shows that the amount of SiO_2 sphere has an effect on the crystallite size of grafted nanosized TiO_2 , with a higher amount of SiO_2 resulting in smaller crystallite size. This effect may be due to the SiO_2 limiting the agglomeration of TiO_2 particles. Studies showed that addition of silica or alumina also increases the anatase phase stability of titania [19]. SiO_2 enhancing the homogeneity of distribution of TiO_2 in the surface of material. On the other hand, the colloidal $\text{TiO}_2\text{-SiO}_2$ nanocomposites exhibited regular morphology since the $\text{TiO}_2\text{-SiO}_2$ cores were coated by PVA. The average particle size of the colloidal $\text{TiO}_2\text{-SiO}_2$ nanocomposite was measured to be 11.90 to 16.17 nm.

Fig. 2 represents the FT-IR spectra of the sol-gel derived nano $\text{TiO}_2\text{-SiO}_2\text{-PVA}$ composites. The peaks at 3402 cm^{-1} and 1628 cm^{-1} in the spectra are due to the stretching and bending






Fig. 2. FT-IR spectra for Titania-Silica-PVA nanocomposites

vibration of the OH⁻ group. The broad band centered near 3500 cm⁻¹ has been assigned to sites that interact with residual physisorbed water [20]. The band at 1650 cm⁻¹ observed in all spectra are attributed to stretching modes of hydroxyl group [21]. The spectrum of TiO₂-SiO₂ shows peaks at 1400 cm⁻¹ and 550 to 450 cm⁻¹ exhibiting stretching modes of Ti-O-Ti. The peak at 1100 cm⁻¹ shows Si-O-Si bending vibrations and the peak at 1005 cm⁻¹ shows Si-O-Ti vibration modes which are due to the overlapping from vibrations of Si-OH and Si-O-Ti bonds. These results indicate that TiO₂-SiO₂ nanoparticles were prepared by a combination of TiO₂ with SiO₂ [21]. SEM-EDS spectra shows the presence of metal oxide bonds in both samples (Table-2).

Element	TiO ₂ -SiO ₂ -20		TiO ₂ -SiO ₂ -30	
	Mass (%)	Mole (%)	Mass (%)	Mole (%)
SiO ₂	10.57	7.82	13.88	10.20
TiO ₂	67.41	77.22	69.63	79.61
C	22.02	14.95	16.49	10.18
Total	100	100	100	100

Fig. 3 shows the SEM-EDS images along with particle size distribution of the colloidal TiO₂-SiO₂ nanocomposites. The TiO₂-SiO₂ particles exhibited irregular morphology due to the agglomeration of primary particles. But the colloidal TiO₂-SiO₂ nanocomposites exhibited regular morphology since the TiO₂-SiO₂ were coated by polyvinyl alcohol, which was confirmed by transmission electron microscopy image (Fig. 4). These results indicate that TiO₂-SiO₂ nanoparticles were prepared by a combination of TiO₂ with SiO₂ nanoparticles [2,22]. SEM-EDS results show the presence of metal oxide bonds in both samples.

Fig. 4 shows the TEM of TiO₂-SiO₂-20 and TiO₂-SiO₂-30 composites calcined at 500 °C. TiO₂-SiO₂ composite calcined at the same temperature has an average particle size (DTEM) smaller than 20 nm. From this observation, it is confirmed that the addition of silica is inhibiting the crystal growth of titania by providing a barrier between titania grains [17].

Fig. 3. SEM images for nanosized TiO₂-SiO₂Fig. 4. TEM images of composites, (a). TiO₂-SiO₂-20 and (b). TiO₂-SiO₂-30

Effect of the ratio of TiO₂-SiO₂ on the degradation of Methylene blue: The photocatalytic oxidation of as-prepared pure TiO₂ and nanocomposite TiO₂-SiO₂ are shown in Fig. 5. The figure shows the decrease of absorbance of methylene blue by nanoparticle TiO₂ and TiO₂-SiO₂ nanocomposites. The absorbance of methylene blue decreased exponentially with irradiation time. The highest percentage of degradation of methylene blue is indicated by TiO₂-SiO₂-30 nanocomposite. The photocatalytic activity of TiO₂ is lower than all synthesized TiO₂-SiO₂ nanocomposites. Decomposition of methylene blue showed that the degradation percentage depends on the mole ratio of TiO₂/SiO₂. Composite TiO₂-SiO₂ provides the highest percent degradation. This likely is due to the increase in the surface area of the composite and the increasing homogeneity of the particles under the influence of polyvinyl alcohol during synthesis. This is also shown by the results of the measurement of surface area by BET method. The increase in reactivity can partly be attributed to an increased homogeneity of the nanocomposites and also the beneficial effect of SiO₂, which indicates no photo activity, but is probably related to the preferential adsorption of methylene blue. The preferential adsorption effectively increases the surface concentration of methylene blue at or near the TiO₂ sites promoting more efficient oxidation by photogenerated species [23].

Antibacterial activity of TiO₂-SiO₂ composites: The synthesized TiO₂ and TiO₂-SiO₂ nanocomposites were evaluated for antimicrobial activity (Fig. 6). The method for testing an antibacterial activity is the agar dilution method to determine the inhibitory concentration of antimicrobial agents [24] against *E. coli*. The Gram-negative bacteria have only a thin layer of peptidoglycan and a more complex cell wall with two cell membranes, an outer membrane and a plasma membrane. Under certain conditions, the Gram-negative bacteria are more resistant to many chemical agents than the Gram-positive cells [25].




Fig. 5. Decomposition of methylene blue solution with various TiO₂-SiO₂ nanoparticle




Fig. 6. Antimicrobial testing by agar dilution method

The results of antimicrobial testing were listed in Table-3. The concentration of the composite for antimicrobial testing was 50 mg/mL. The results showed that the bacterial inactivation was strongly enhanced in the presence of photo-activated anatase TiO₂ nanoparticles. While in the absence of photo-activated nanoparticles, no inhibition was observed. Hence, times of exposure to UV light, the amount of TiO₂ or TiO₂-SiO₂ and duration of exposure are factors found to be responsible for taken for 100 % killing of the bacterial population. The study indicates that the low concentration of TiO₂ is sufficient to control the diversity of the bacterial population.

TABLE-3
ACTIVITY OF SYNTHESIZED MATERIALS IN AGAR MEDIUM

Sample name	Treatment	Growth of bacteria
TiO ₂	UV 368 nm	No growth
TiO ₂ -SiO ₂ -15	UV 368 nm	No growth
TiO ₂ -SiO ₂ -20	UV 368 nm	No growth
TiO ₂ -SiO ₂ -25	UV 368 nm	No growth
TiO ₂ -SiO ₂ -30	UV 368 nm	No growth
TiO ₂ -SiO ₂ -25	No UV	Growth
TiO ₂ -SiO ₂ -30	No UV	Growth
Blank	UV 368 nm	Growth

Conclusion

The nanosized TiO₂ mixed with SiO₂ sphere was prepared by sol-gel process. The major phase of the pure TiO₂ particle

and deposited TiO₂ on SiO₂ sphere are of the anatase structure. photodecomposition, a batch reactor was used to study the degradation of methylene blue by TiO₂-SiO₂ and pure TiO₂ particles. A mixed oxide TiO₂-SiO₂ is a more efficient photocatalyst for the degradation of methylene blue than TiO₂ alone. In this study, the composite material was tested the antibacterial activity for *E. coli* bacteria. All the four synthesized samples showed inactivation activity towards bacteria by illuminating with UV 368 nm.

ACKNOWLEDGEMENTS

The authors are thankful to Laboratory of Microbiology, Department of Biology, Universitas Negeri Semarang and Department of Chemistry, Universitas Negeri Semarang, for providing all research facilities to complete this work. The authors are also grateful to Directorate General of Higher Education, for providing financial support.

REFERENCES

- Y. Chen, K. Wang and L. Lou, *J. Photochem. Photobiol. Chem.*, **163**, 281 (2004).
- K. Balachandaran, R. Venkatesh and R. Sivaraj, *Int. J. Eng. Sci. Res. Technol.*, **2**, 3695 (2010).
- E. Rahmani, A. Ahmadpour and M. Zebarjad, *Chem. Eng. J.*, **174**, 709 (2011).
- Anpo, *J. Catal.*, **216**, 505 (2003).
- R. Zhang, L. Gao and Q. Zhang, *Chemosphere*, **54**, 405 (2004).
- P.S. Awati, S.V. Awate, P.P. Shah and V. Ramaswamy, *Catal. Commun.*, **13**, 93 (2003).
- A. Mirabedini, S.M. Mirabedini, A.A. Babalou and S. Pazokifard, *Prog. Org. Coat.*, **72**, 453 (2011).
- G. Fu, P.S. Vary and C.T. Lin, *J. Phys. Chem. B*, **109**, 8889 (2005).
- H. Nur, *Mater. Sci. Eng. B*, **133**, 49 (2006).
- L. Song, R. Qiu, Y. Mo, D. Zhang, H. Wei and Y. Xiong, *Catal. Commun.*, **8**, 429 (2007).
- X. Gao and I.E. Wachs, *Catal. Today*, **51**, 233 (1999).
- A. Matsuda, T. Matoda, Y. Kotani, T. Kogure, M. Tatsumisago and T. M. *J. Sol-Gel Sci. Technol.*, **26**, 517 (2003).
- Seok and J.H. Kim, *Mater. Chem. Phys.*, **86**, 176 (2004).
- R. Venkatesh, K. Balachandaran and R. Sivaraj, *Int. Nano Lett.*, **2**, 15 (2007).
- S. Bonetta, S. Bonetta, F. Motta, A. Strinj and E. Carraro, *AMB Express*, **14**, 9 (2013).
- U. Sirimahachai, S. Phongpaichit and S. Wongnawa, *Songklanakarini Technol.*, **31**, 517 (2009).
- Udom, S. Wongnawa and P. Boonsin, *Sci. Asia*, **30**, 149 (2004).
- J. Gao, S. Li, W. Yang, G. Zhao, L. Bo and L. Song, *Rare Metals*, **26**, 18 (2007).
- K.V. Baiju, P. Periyat, P.K. Pillai, P. Mukundan, K.G.K. Warriar and Wunderlich, *Mater. Lett.*, **61**, 1751 (2007).
- U. Sirimahachai, N. Ndiege, R. Chandrasekharan, S. Wongnawa and Shannon, *J. Sol-Gel Sci. Technol.*, **56**, 53 (2010).
- J.F. de, J.L. Oteo, M. Villegas and P. Duran, *J. Mater. Sci.*, **32**, 643 (1997).
- M. Zhang, L. Shi, S. Yuan, Y. Zhao and J. Fang, *J. Colloid Interface Sci.*, **17**, 113 (2009).
- C. Anderson and A.J. Bard, *J. Phys. Chem.*, **99**, 9882 (1995).
- V.S. Smitha, K. Manjumol, K.V. Baiju, S. Ghosh, P. Perumal and G.K. Warriar, *J. Sol-Gel Sci. Technol.*, **54**, 203 (2010).
- G. Tortora, R.B. Funke and L.C. Case, *Microbiology: An Introduction*, Addison-Wesley Longman, Inc., New York, USA (2001).

Photocatalytic Activity...

ORIGINALITY REPORT

20%

SIMILARITY INDEX

4%

INTERNET SOURCES

20%

PUBLICATIONS

3%

STUDENT PAPERS

PRIMARY SOURCES

- 1 Guifen Fu, Patricia S. Vary, Chhiu-Tsu Lin. "Anatase TiO Nanocomposites for Antimicrobial Coatings ", The Journal of Physical Chemistry B, 2005 2%

Publication
- 2 Lyu, Jinze, Luna Sun, Junbo Zhong, Qiang Fu, Min Zhang, Shuo Wang, and Ji Li. "Shielding of surface photogenerated charges by SiO₂ coating for the photocatalytic degradation of air pollutants", Chemical Engineering Journal, 2016. 1%

Publication
- 3 Nitin Dighore, Sunita Jadhav, Priyanka Anandgaonker, Suresh Gaikwad, Anjali Rajbhoj. "Molybdenum Oxide Nanoparticles as Antimicrobial Agents", Journal of Cluster Science, 2016 1%

Publication
- 4 Jianjun Zhu, Jimin Xie, Min Chen, Deli Jiang, Dan Wu. "Low temperature synthesis of anatase rare earth doped titania-silica photocatalyst and 1%

its photocatalytic activity under solar-light",
Colloids and Surfaces A: Physicochemical and
Engineering Aspects, 2010

Publication

5

Esfandiar Pakdel, Walid A. Daoud. "Self-cleaning cotton functionalized with TiO₂/SiO₂: Focus on the role of silica", Journal of Colloid and Interface Science, 2013

Publication

6

Marzieh Sadeghi, Mohsen Irandoust, Fatemeh Khorshidi, Mostafa Feyzi, Fataneh Jafari, Tahereh Shojaeimehr, Mojtaba Shamsipur. "Removal of Arsenic (III) from natural contaminated water using magnetic nanocomposite: kinetics and isotherm studies", Journal of the Iranian Chemical Society, 2016

Publication

7

Khan, Saman, Ishtiaq A. Qazi, Imran Hashmi, M. Ali Awan, and Najum-us-Sehar Sadaf Zaidi. "Synthesis of Silver-Doped Titanium TiO₂ Powder-Coated Surfaces and Its Ability to Inactivate Pseudomonas aeruginosa and Bacillus subtilis", Journal of Nanomaterials, 2013.

Publication

8

Zhenbiao Dong, Dongyan Ding, Ting Li, Congqin Ning. "Facile fabrication of Si-doped

1%

1%

1%

1%

TiO₂ nanotubes photoanode for enhanced photoelectrochemical hydrogen generation", Applied Surface Science, 2018

Publication

9

Yu, Tao, Hong Mei Wang, and Xin Tan. "New Reactor Fabricated Using Light Leakage Fiber for Azo Dye Degradation", Advanced Materials Research, 2013.

1%

Publication

10

P. P. Ahonen, E. I. Kauppinen, J. C. Joubert, J. L. Deschanvres, G. Van Tendeloo. "Preparation of nanocrystalline titania powder via aerosol pyrolysis of titanium tetrabutoxide", Journal of Materials Research, 2011

1%

Publication

11

Qiong Huang, Xiao Kang Yan, Bing Li, Ying Wen Chen, She Min Zhu, Shu Bao Shen. "Photocatalytic Decomposition of Gaseous HCHO by N-Zr-TiO₂ Catalysts", Advanced Materials Research, 2013

1%

Publication

12

Zunli Mo, Hao Gou, Jingxian He, Jun Wang, Ruibin Guo. "Preparation and characterization of conductive and magnetic PPy/Fe₃O₄/Ag nanocomposites", Polymer Composites, 2014

1%

Publication

13

Abd El-Shafey I. Ahmed, Ahmed I. Hussain,

Ahmed M. El-Masry, Ahmed Saleh.

"Thermomechanical properties of styrene-butyl acrylate/organo-silica nanocomposite films prepared by seed emulsion polymerization", *Polymer Composites*, 2017

Publication

1%

14

Mio HAYASHI, Tsuyoshi OCHIAI, Shoko TAGO, Hiromasa TAWARAYAMA et al. "Fabrication of TiO₂-coated Porous Silica Glass Tube and Evaluation as Environmental Purification Unit", *Electrochemistry*, 2019

Publication

<1%

15

Hu, S.. "An investigation on the catalytic properties of titania-silica materials", *Journal of Catalysis*, 20031115

Publication

<1%

16

Liu, J.. "Fundamental studies of a new hybrid (inorganic-organic) positively charged membrane. II. Membrane preparation via alcoholysis reaction and amination processes of silicone and titanate coupling agents", *Journal of Membrane Science*, 20051101

Publication

<1%

17

Masatoshi Nakamura. "Role of terminal OH groups on the electrical and hydrophilic properties of hydro-oxygenated amorphous TiO_x:OH thin films", *Journal of Applied*

<1%

18

Zydzia, Nicolas, Maria-Helena Ambrosio Zanin, Iris Trick, and Christof Hübner. "Direct generation of titanium dioxide nanoparticles dispersion under supercritical conditions for photocatalytic active thermoplastic surfaces for microbiological inactivation", *Materials Chemistry and Physics*, 2015.

Publication

<1%

19

Mallakpour, S., and M. Shahrokhpour. "Thermal and morphology characterization study of bio-active poly(amide-imide) based nanocomposites reinforced with modified SiO₂ nanoparticle with poly(vinyl alcohol)", *Polymer Composites*, 2014.

Publication

<1%

20

Yasser A. Shaban, Hasna M. Fallata. "Sunlight-induced photocatalytic degradation of acetaminophen over efficient carbon doped TiO₂ (CTiO₂) nanoparticles", *Research on Chemical Intermediates*, 2019

Publication

<1%

21

"Methods of Nanoparticle Synthesis in Microheterogeneous Systems", *Nanostructure Science and Technology*, 2006

Publication

<1%

22

Bogdan Szostek, Jowita Orska-Gawrys, Izabella

Surowiec, Marek Trojanowicz. "Investigation of natural dyes occurring in historical Coptic textiles by high-performance liquid chromatography with UV–Vis and mass spectrometric detection", *Journal of Chromatography A*, 2003

Publication

<1%

23

Majid Mohammadi, Mitra Dadvar, Bahram Dabir. "TiO₂ /SiO₂ nanofluids as novel inhibitors for the stability of asphaltene particles in crude oil: Mechanistic understanding, screening, modeling, and optimization", *Journal of Molecular Liquids*, 2017

Publication

<1%

24

Magdalena Lungu, Ștefania Gavrilu, Elena Enescu, Ioana Ion et al. "Silver–titanium dioxide nanocomposites as effective antimicrobial and antibiofilm agents", *Journal of Nanoparticle Research*, 2013

Publication

<1%

25

Chenxu He, Baozhu Tian, Jinlong Zhang. "N, B, Si-tridoped mesoporous TiO₂ with high surface area and excellent visible-light photocatalytic activity", *Research on Chemical Intermediates*, 2010

Publication

<1%

26

Shi, J.W.. "Influence of Fe³⁺ and Ho³⁺ co-

<1%

doping on the photocatalytic activity of TiO₂",
Materials Chemistry & Physics, 20071215

Publication

27

Daoud, Walid A., and John H. Xin. "Formation of Nanocrystalline Anatase Coatings on Cotton Fabrics at Low Temperature", Ceramic Nanomaterials and Nanotechnology III Lu/Ceramic, 2012.

<1%

Publication

28

Menezes, W.G.. "Sol-gel processing of a bimetallic alkoxide precursor confined in a porous glass matrix: A route to novel glass/metal oxide nanocomposites", Journal of Colloid And Interface Science, 20060701

<1%

Publication

29

Puzenat, E.. "Studying TiO₂ coatings on silica-covered glass by O₂ photosorption measurements and FTIR-ATR spectrometry", Journal of Photochemistry & Photobiology, A: Chemistry, 20030807

<1%

Publication

30

L Yuanita, P R Wikandari, Isnawati, W B Sabtiawan, D A P Sari. " The Effect of Yacon Tubers as Prebiotics and Sinbiotics against IFO 12529 on ", Journal of Physics: Conference Series, 2018

<1%

Publication

31

Wenjun Jiang, Jeffrey A. Joens, Dionysios D. Dionysiou, Kevin E. O'Shea. "Optimization of photocatalytic performance of TiO₂ coated glass microspheres using response surface methodology and the application for degradation of dimethyl phthalate", Journal of Photochemistry and Photobiology A: Chemistry, 2013

Publication

<1%

32

Xianzhi Fu, Louis A. Clark, Qing Yang, Marc A. Anderson. " Enhanced Photocatalytic Performance of Titania-Based Binary Metal Oxides: TiO₂/SiO₂ and TiO₂/ZrO₂ ", Environmental Science & Technology, 1996

Publication

<1%

33

Gang Liu, Yan Liu, Guang Yang, Suying Li, Yanhong Zu, Wenxiang Zhang, Mingjun Jia. "Preparation of Titania–Silica Mixed Oxides by a Sol–Gel Route in the Presence of Citric Acid", The Journal of Physical Chemistry C, 2009

Publication

<1%

34

Kyeong Youl Jung, Seung Bin Park. "Enhanced photoactivity of silica-embedded titania particles prepared by sol–gel process for the decomposition of trichloroethylene", Applied Catalysis B: Environmental, 2000

Publication

<1%

35

Jung, S.M.. "TiO₂-SiO₂ mixed oxide modified with H₂SO₄", Applied Catalysis A, General, 20010214

Publication

<1%

36

Yang, Q.. "Effects of synthesis parameters on the physico-chemical and photoactivity properties of titania-silica mixed oxide prepared via basic hydrolyzation", Journal of Molecular Catalysis. A, Chemical, 20050914

Publication

<1%

37

Magdalena Janus, Kamila Bubacz, Justyna Zatorska, Ewelina Kusiak-Nejman et al. "Induced self-cleaning properties towards Reactive Red 198 of the cement materials loaded with co-modified TiO₂/N,C photocatalysts", Reaction Kinetics, Mechanisms and Catalysis, 2014

Publication

<1%

38

K. V. Baiju. "Enhanced photoactivity of neodymium doped mesoporous titania synthesized through aqueous sol-gel method", Journal of Sol-Gel Science and Technology, 07/25/2007

Publication

<1%

39

Gun'ko, V., V. Bogatyrev, R. Leboda, J. Skubiszewska-Zięba, L. Petrus, Y. Nychiporuk, O. Oranska, O. Dudarko, V. Osovskii, and Y.

<1%

Ptushinskii. "Titania deposits on nanosilicas",
Annales UMCS Chemistry, 2009.

Publication

40

Liu, Z.. "Effect of embedded-silica on
microstructure and photocatalytic activity of
titania prepared by ultrasound-assisted
hydrolysis", Applied Catalysis B, Environmental,
20040908

Publication

41

"Advances in Photocatalytic Disinfection",
Springer Science and Business Media LLC,
2017

Publication

42

Shi, Z.L.. "Preparation and photocatalytic activity
of cerium doped anatase titanium dioxide coated
magnetite composite", Journal of the Taiwan
Institute of Chemical Engineers, 201107

Publication

43

Arakawa, Tomiyuki, Nobuaki Watanabe, Yuki
Haijima, and Ichiro Koiwa. "Ti-Ni-O Reactive
Nanocomposite Electrodeposition Using Ti
Nanoparticles and Annealing", Bulletin of the
Chemical Society of Japan, 2015.

Publication

44

Qi Du, Yiping Guo, Huanan Duan, Hua Li, Yujie
Chen, Hafeez Ur Rehman, Hezhou Liu. "Facile
preparation of hierarchical titanium silicalite-1

<1%

<1%

<1%

<1%

<1%

(TS-1) with efficient oxidation of cyclic alkenes
using PVA modified MWCNTs as templates",
Journal of Alloys and Compounds, 2017

Publication

Exclude quotes On

Exclude matches Off

Exclude bibliography On