

# 20. Proceeding Thailand

*by* Nugrahaningsih Wh

---

**Submission date:** 03-Nov-2021 02:50PM (UTC+0700)

**Submission ID:** 1691828355

**File name:** 20.\_Proceeding\_HTM2017-pages-1-10,122-127,129-pages-deleted.pdf (2.89M)

**Word count:** 4239

**Character count:** 25128



**The 2<sup>nd</sup> International Conference  
on Herbal and Traditional Medicine 2017**

**“Value-Added of Herbs and Phytotherapy:  
Challenges for the 21st Century”**

**Proceedings**



**25-27 January, 2017  
Asia Hotel, Bangkok, Thailand**



**ISBN: 978-616-223-985-4**



The 2nd International Conference on Herbal and Traditional Medicine 2017  
January 25-27, 2017  
Organized by Khon Kaen University



## The 2<sup>nd</sup> International Conference on Herbal and Traditional Medicine 2017

**“ Value-Added of Herbs and Phytotherapy :  
Challenges for the 21<sup>st</sup> Century ”**

Proceedings



25-27 January, 2017  
Asia Hotel, Bangkok, Thailand

ISBN : 978-616-223-985-4

**HTM 2017**

The 2nd International Conference on Herbal and Traditional Medicine 2017  
January 25-27, 2017  
Organized by Khon Kaen University



# The 2<sup>nd</sup> International Conference on Herbal and Traditional Medicine 2017

(HTM 2017)

“Value-Added of Herbs and Phytotherapy : Challenges for the 21<sup>st</sup> Century”

## Proceedings

**First Published** : January 20, 2017      300 copies

ISBN : 978-616-223-985-4

**Copyright** © Faculty of Pharmaceutical Sciences, Khon Kaen University.

All rights reserved. No part of this book and the attached CD can be reproduced or transmitted in any form by any means without permission of the publisher. Released in January 20, 2017.

Tel. 6643 202 378, Fax. 6643 202 137

Email: [htm2017@kku.ac.th](mailto:htm2017@kku.ac.th) Facebook: <https://www.facebook.com/htmthailand2017/>

**Published by:** The Organizing and Scientific Committee of HTM 2017  
The 2<sup>nd</sup> International Conference on Herbal and Traditional Medicine 2017,  
Khon Kaen University, Khon Kaen 40002, Thailand

Khon Kaen University Printing House,  
123 Mittraphap road, Nai Muang, Muang, Khon Kaen, 40002 Thailand  
Tel 6643 347 100 Email: [kkuprinting@hotmail.com](mailto:kkuprinting@hotmail.com)



## Editorial Board

### Editor-in-Chief

Waraporn Putalun

Khon kaen University

### Editors

Banlue Sangthong

Mahasarakam University

Catheleeya Mekjaruskul

Mahasarakam University

Methin Phadungkit

Mahasarakam University

Prasoporn Rinthong

Mahasarakam University

Somsak Nualkaew

Mahasarakam University

Wanida Caichompoo

Mahasarakam University

Athip Sakunphueak

Prince of Songkla University

Juraitip wangsintaweekul

Prince of Songkla University

Bancha Yingngam

Ubon ratchathani University

Kusuma Jitsaeng

Ubon ratchathani University

Rawiun Kaewamatawong

Ubon ratchathani University

Thaweesak Juengwatanatrakul

Ubon ratchathani University

Bungorn Sripanidkulchai

Khon Kaen University

Ekapol Limpongsa

Khon Kaen University

kiettipum Poltree

Khon Kaen University

Naphapuk Jaipakdee

Khon Kaen University

Natsajee Nualkaew

Khon Kaen University

Pramote Mahakunakorn

Khon Kaen University

Prathan Luecha

Khon Kaen University

Srisomporn Preeprame

Khon Kaen University

Supatra Porasupattana

Khon Kaen University

Suthasinee Thapphasaraphong

Khon Kaen University

Tanit Padumanonda

Khon Kaen University

Teerasak Damrongrungruang

Khon Kaen University

Suvara K. Wattanapitayakul

Srinakharinwirot University

### Editorial assistant

Arthit Vongprajan

Khon Kaen University

Taechit Cheunpratamtong

Khon Kaen University

Thongkum Vongprajan

Khon Kaen University



## CONTENTS

	Page
<b>Welcome Message from Dean of Faculty of Pharmaceutical Sciences Khon Kaen University, Khon Kaen, Thailand</b>	<b>10</b>
<i>Associate Professor Dr. Paiboon Daosodsai</i>	
<i>Dean of Faculty of Pharmaceutical Sciences</i>	
<b>Committee</b>	<b>11</b>
<b>Pre-Symposium Program</b>	<b>13</b>
<b>Scientific Program</b>	<b>14</b>
<b>Table of Oral Presentations</b>	<b>17</b>
<b>Table of Poster Presentations</b>	<b>19</b>
<b>Plan / Function Room</b>	<b>23</b>
<b>Speaker Information</b>	<b>24</b>

### Speakers Abstracts

<b>Learning from nature, learning from our ancestors!</b>	<b>52</b>
<i>R. Verpoorte *</i>	
<b>The Current Role and the Future of HPTLC in PhEur and USP Monographs on Herbal Drugs and Dietary Supplements</b>	<b>54</b>
<i>Eike Reich</i>	
<b>Recent Research on HPTLC-Based Approaches to the Quality of Herbal Products</b>	<b>55</b>
<i>Eike Reich</i>	
<b>Antibody-based for quality control of herbal medicines</b>	<b>56</b>
<i>Tharita Kitisripanya, Gorawit Yusakul, Orain Udomsin, Patcharin Tassanawat, Thaweesak Juengwatanatrakul, Hiroyuki Tanaka, Boonchoo Sritularak, Waraporn Putalun*</i>	
<b>Authentication is fundamental for standardization and globalization of herbal medicine</b>	<b>57</b>
<i>ZHAO Zhongzhen *</i>	
<b><i>Garcinia cowa</i> leaf extract: A novel nutraceutical for cancer prevention</b>	<b>58</b>
<i>Pharkphoom Panichayupakaranant*, Pirunrat Sae-Lim, Supreeya Yuenyongsawad</i>	
<b>Identification of Bioactive Compounds from Natural Sources: Tips and Strategies</b>	<b>60</b>
<b>15</b> <i>Kornkanok Ingkaninan</i>	
<b>Targeting Inflammatory Pathways by Agents Designed by Mother Nature for Prevention and Treatment of Chronic Diseases</b>	<b>61</b>
<b>22</b> <i>Bharat B. Aggarwal *</i>	
<b>Search for Bioactive Constituents Having Effects on Disease and Development Pathways</b>	<b>65</b>
<i>Masami Ishibashi *</i>	
<b>Recent Development in Oral Drug Delivery Systems of Herbal Medicines</b>	<b>66</b>
<i>Ruedeekorn Wiwattanapatapee</i>	
<b>Rhodomyrtone: from Basic Research to Pharmaceutical Applications</b>	<b>67</b>
<i>Supayang P Voravuthikunchai *</i>	
<b>Clinical Herbal Product Development</b>	<b>69</b>
<i>Juntra Karbwang Laothavorn *</i>	
<b>Plant extracts alleviate lower urinary tract symptoms (LUTS)</b>	<b>70</b>
<i>Shizuo Yamada *</i>	
<b>A Randomized Controlled Trial of Ling Zhi Extract in Patients with Allergic Rhinitis</b>	<b>72</b>
<i>Nutthiya Hanprasertpong*, Natthakarn Chiranthanut, Warangkana Arpornchayanon, Kannika Roongrotwattanasiri, Supanimit Teekachunhatean</i>	





Clinical Study of <i>Zingiber officinale</i> in Cancer Patients <i>Suphat Subongkot*</i>	73
---	----

## Abstracts of Oral Presentation

### Scientists Presentation

#### CATEGORIES 1 : The quality of crude drugs and herbal medicines

##### T1-O-RD-001

Estimation of Total Phenol, Flavonoid and Tannin Contents in Galls of <i>Ficus racemosa</i> Leaf <i>Yogesh V Ushir*, Sudarshan Singh, Sagar Thorat</i>	75
---	----

##### T1-O-RD-002

Extraction conditions of Shallot, Chemical Study and Antioxidant Activity <i>Laksana Charoenchai*, Chaowalit Monton, Fameera Madaka, Pathamaporn Pathompak, Sukanya Settharaksa, Lukman Sueree, Thaniya Wannakup</i>	81
---	----

##### T1-O-RD-003

A Correlation Study of Antioxidant Activity, Total Phenolic Content and Total Flavonoid Content of fruits of <i>Solanum</i> species of North East India <i>Jyotirekha G. Handique*, Dipika Kalita, Pratap Jyoti Handique</i>	95
---	----

#### CATEGORIES 2 : Biotechnology for the production of secondary metabolites

##### T2-O-RD-004

<i>In vitro</i> Regeneration of <i>Gloriosa superba</i> L using Elite Clone collected from North East India and evaluation of their yield potential for colchicine <i>Pratap Jyoti Handique*, Puspa Bhuyan, Jyotirekha G Handique</i>	107
--	-----

#### CATEGORIES 3 : Discovery of natural products from new sources

##### T3-O-RD-005

Bioactive compounds from some medicinal plants used as anti-diabetics <i>Sujata Wangkheirakpam, Satyavama D. Asem, Rohit C. Srivastava, Warjeet S Laitonjam*</i>	109
---	-----

#### CATEGORIES 3 : Discovery of natural products from new sources

##### T3-O-RD-006

Fabrication and Characterization of Anti-Vitiligo Cream containing 5% Hydroalcoholic Extract of <i>Psoralea Corylifolia</i> <i>Barkat Ali Khan, Irshad Hussain</i>	110
---	-----

##### T3-O-RD-007

Anti-inflammatory activity of <i>Pyrrosia heterophylla</i> extracts via dual COX/LOX inhibition and inhibition of TNF $\alpha$ <i>Meera George*, V. S. Josekumar</i>	111
---	-----

##### T3-O-RD-008

Qualitative analysis of an Ayurvedic medicinal oil (Pinda oil) and studies on lipophilicity of its constituents <i>Chandani Ranasinghe*, Ajita M Abeysekera, G. M. Kamal B. Gunaherath</i>	112
---	-----

##### T3-O-RD-009

Mineral and electrolyte analysis of <i>Manihot utilissima</i> and <i>Carica papaya</i> Leaves: a Prospect of Anti hypotension Agent <i>Nugrahaningsih WH*, Lisdiana, Eling Purwantoyo</i>	121
--	-----



<b>T3-O-RD-010</b>		
<b>Marine Biodiversity as Starting Point for Drug Discovery and Development</b>		<b>127</b>
<i>Hendrik Luesch *</i>		

**CATEGORIES 4 : New herbal drug formulation**

<b>T4-O-RD-011</b>		
<b>Coffee (<i>Coffea arabica</i> L.) beans wastes: extraction, evaluation and their application in cosmetics and beauty products.</b>		<b>129</b>
<i>Chotika Buakrun, Naphatsorn Kumar</i>		

**CATEGORIES 5 : Phytotherapy and clinical studies of herbal medicines**

<b>T6-O-RD-012</b>		
<b>Ganoderma lucidum inhibits testosterone induced prostatic hyperplasia in rats</b>		<b>140</b>
<i>Alok Nahata *</i>		

<b>T5-O-RD-013</b>		
<b>Babandotan Leaves (<i>Ageratum conyzoides</i> L.) prevents inflammation and proteoglycan degradation by inhibiting TNF<math>\alpha</math> and MMP9 on Osteoarthritis Model Rat</b>		<b>141</b>
<i>Anton Bahtiar *, Mutiara Nurazizah, Tirza Roselina, Ade Arsianti</i>		

**CATEGORIES 5 : Phytotherapy and clinical studies of herbal medicines**

<b>T5-O-RD-014</b>		
<b>Glucose uptake by muscles action of <i>Syzygium polyanthum</i> Wight methanol extract leaf <i>in vitro</i></b>		<b>142</b>
<i>Tri Widyawati *, Siti Syarifah, Mariam Ahmad, Mod Zaini Asmawi</i>		

<b>T5-O-RD-015</b>		
<b>Anti-inflammatory effects of ethanol and aqueous extracts of <i>Lawsonia inermis</i> Lin. leaf in carrageenan-induced acute inflammation rats</b>		<b>143</b>
<i>Siti Syarifah, Tri Widyawati</i>		

**Abstracts of Oral Presentation**

**Students Presentation**

**CATEGORIES 1 : The quality of crude drugs and herbal medicines**

<b>T1-O-ST-001</b>		
<b><i>In-vitro</i> Alpha-Amylase Inhibitory Activity, Antioxidant Potential, and GC-MS Analysis of Crepe Ginger (<i>Costus speciosus</i> (J. Koenig.) Sm.) Leaves</b>		<b>145</b>
<i>Jhoan Rhea L. Pizon, Olga M. Nuñez, Mylene M. Uy, WTPSK Senarath</i>		

<b>T1-O-ST-002</b>		
<b>Determination of <i>trans</i>-Resveratrol in Peanut Using Poroshell HPLC Column and Microwave-Assisted Extraction</b>		<b>146</b>
<i>Kritamorn Jitrangsri, Amornrut Chaidedgumjorn, Malai Satiraphan</i>		

<b>T1-O-ST-003</b>		
<b>Screening of biological activities of <i>Calophyllum inophyllum</i> Linn. seed oil extract</b>		<b>153</b>
<i>Charinrat Sae-Chan *, Jasadee Keawsrichan</i>		





**T1-O-ST-004**

**Standardization of *Artocarpus champeden* Stembark Extract by HPTLC as Raw Material of Antimalarial Herbal Medicine** 162

*Imam Taufik , Myrna Adianti , Aty Widyawaruyanti \*, Mochammad Yuwono*

**T1-O-ST-005**

**Cytotoxic and Anti-inflammatory Effect of Aqueous Extract from *Tithonia diversifolia* on Lipopolysaccharide-induced in RAW 264.7 macrophage cells** 163

*Kamonrat Yub , Jibunjong Thungpong , Poonsit Hiransai*

**CATEGORIES 3 : Discovery of natural products from new sources**

**T3-O-ST-006**

**Phytochemical Screening and Antioxidant Activities of Barks of Three Selected Philippine Medicinal Plants** 165

*Shella Mae P. Jaliq , Olga M. Nuñez \**

**T3-O-ST-007**

**Antioxidation and Anti-inflammation Effects of Agarwood Leaf Extract on Human Keratinocyte Cells** 166

*Eakkaluk Wongwad , Neti Waranuch , Kornkanok Ingkaninan \**

**T3-O-ST-008**

**Anti-inflammatory Effect of *Moringa oleifera* Lam. Leaf Extract on Human Keratinocytes** 167

*Jinutda Engsuwan , Neti Waranuch , Nanteetip Limpeanchob , Kornkanok Ingkaninan*

**T3-O-ST-009**

**4-methoxycinnamyl *p*-coumarate isolated from *Etilingera pavieana* rhizome suppresses inflammatory response via NF- B and p38 MAPK signaling pathways in LPS-induced macrophages** 168

*Sakulrat Mankhong , Ekaruth Srisook , Klaokwan Srisook \**

**CATEGORIES 4 : New herbal drug formulation**

**T4-O-ST-010**

***Ficus Carica* Mucilage for the Development of Mucoadhesive *in Situ* Nasal Gel of Alprazolam: Effects of Permeation Enhancers** 170

*Amitava Roy \*, Pallab K Haldar , Abhinay Chhetri*

**T4-O-ST-011**

**Formulation and Penetration Study of Etosom Gel Myristicin of Nutmeg Oil (*Myristica fragrans* H.)** 171

*Susana Elya Sudrajat , Abdul Mun'im , Kris Herawan Timotius , Effionora Anwar*

**T4-O-ST-012**

**Green Nanotechnology: Nanoencapsulation Formulation Combination White Ginger (*Curcuma zedoaria*) and Garlic (*Allium sativum* L.) Extract Activity Against Lymphoma Cells with MTT Assay** 172

*Herianto Pandapotan , Gayatri Rizkiana \*, Oktavia Indrati , Lalu Rizki Fauzi*

**T4-O-ST-013**

**Antioxidant and eNOS activating activities of ED-BUU-BF4, new Thai herbal formulation, in endothelial EA.hy926 cells** 173

*Titiporn Thongyen , Klaokwan Srisook \*, Petcharat Sawai , Ekaruth Srisook \**



**CATEGORIES 5 : Phytotherapy and clinical studies of herbal medicines**

<b>T5-O-ST-014</b>		
<b>Centella asiatica modulates Nrf-2 anti-oxidant mechanisms and enhances ROS mediated apoptosis in leukaemic THP-1 Cells</b>		<b>181</b>
	<i>Dhaneshree Bestinee Naidoo , Alisa Phulukdaree , Krishnan Anand , Vikash Sewram , Anil Chaturgoon*</i>	
<b>T5-O-ST-015</b>		
<b>Evaluation Effectivity Anti-Rheumatoid Arthritis of Hydroethanolic Extract <i>Ageratum conyzoides</i> L Leaves in Complete Freund's Adjuvant-Induced Arthritis Rats</b>		<b>196</b>
	<i>Erna Harfiani , Katrin , Ade Arsianti , Anton Bahtiar *</i>	
<b>T5-O-ST-016</b>		
<b>In Vitro Inhibition of Alpha-Amylase and Antioxidant Activities of the Bark Extracts of Black Currant Tree (<i>Antidesma ghaesembilla</i> Gaertn.)</b>		<b>197</b>
	<i>Dana Joanne Von L Trono , Olga M Nuñez , Mylene M Uy , WTPSK Senarath</i>	
<b>T5-O-ST-017</b>	<b>25</b>	
<b>Antifertility effects of <i>Leucaena leucocephala</i> aqueous shoot tips plus young leaves extract in adult male rats</b>		<b>198</b>
	<i>Jaturon Burawat , Supatcharee Arun , Wannisa Sukhorum , Apichakan Sampannang , Somsak Nualkaew , Nongnut Uabandit , Sitthichai Iamsaard *</i>	
<b>T5-O-ST-018</b>		
<b><i>Phyllanthus emblica</i> L. leaves extract ameliorates testicular damages in chronic stress rats</b>	<b>23</b>	<b>199</b>
	<i>Supatcharee Arun , Jaturon Burawat , Wannisa Sukhorum , Apichakan Sampannang , Sitthichai Iamsaard *</i>	
<b>T5-O-ST-019</b>		
<b>Antioxidant and hypoglycemic effects of <i>Momordica cochinchinensis</i> Spreng (Gac) aril extract on reproductive damages in streptozotocin (STZ)-induced hyperglycemia mice</b>		<b>200</b>
	<i>Apichakan Sampannang , Supatcharee Arun , Wannisa Sukhorum , Jaturon Burawat , Somsak Nualkaew , Chanwit Maneenin , Bungorn Sripanidkulchai , Sitthichai Iamsaard</i>	
<b>T5-O-ST-020</b>		
<b>Inflammatory proteins decreased in urine of kidney stone patients receiving lime powder (LP)</b>		<b>201</b>
	<i>Pimsuda Kulpradit , Visith Thongboonkerd , Thasinas Dissayabutra , Wattanachai Ungjareonwattana , Nuttiya Kalpongkul , Supoj Ratchanon , Piyaratana Tosukhowong</i>	
<b>T-O-ST-021</b>		<b>209</b>
<b>The Effect of Rambutan Peel Extract (<i>Nephelium lappaceum</i> L) to Total Leukocytes and Histopathological of Rat Lungs Exposed by Cigarette Smoke</b>		
	<i>Lisdiana *, Nugrahaningsih WH , Supriyanto , Khoiril Imdad , Wawan Riyanto</i>	



The 2nd International Conference on Herbal and Traditional Medicine 2017

January 25-27, 2017

Organized by Khon Kaen University

### Abstracts of Poster Presentation

#### Scientists Presentation

CATEGORIES 1 : The quality of crude drugs and herbal medicines	210
CATEGORIES 2 : Biotechnology for the production of secondary metabolites	251
CATEGORIES 3 : Discovery of natural products from new sources	263
CATEGORIES 4 : New herbal drug formulation	319
CATEGORIES 5 : Phytotherapy and clinical studies of herbal medicines	337

### Abstracts of Poster Presentation

#### Students Presentation

CATEGORIES 1 : The quality of crude drugs and herbal medicines	367
CATEGORIES 2 : Biotechnology for the production of secondary metabolites	445
CATEGORIES 3 : Discovery of natural products from new sources	458
CATEGORIES 4 : New herbal drug formulation	472
CATEGORIES 5 : Phytotherapy and clinical studies of herbal medicines	484
Author Index	515



**T3-O-RD-009**

## **Mineral and electrolyte analysis of *Manihot utilissima* and *Carica papaya* Leaves: a Prospect of Anti hypotension Agent**

Nugrahaningsih WH<sup>1\*</sup>, Lisdiana<sup>1</sup>, Eling Purwantoyo<sup>1</sup>

### **Abstract**

**Introduction:** The prevalence of orthostatic hypotension is high. Management of orthostatic hypotension included A-F, that are Abdominal compression, Boluses of Water, Bed Up, Counter maneuvers, Drug, Education, Exercise, Fluid and salt. *Carica papaya* and *Manihot utilissima* leaves were not allowed to eat by hypertension patient because they are assumed to have ability in elevate blood pressure. The hypothetic of this phenomenon is *Carica papaya* and *Manihot utilissima* prospect as anti-hypotension agent. The aim of research was to analyze mineral and electrolyte of *Carica papaya* and *Manihot utilissima* leaves. **Materials and Methods:** *Manihot utilissima* and *Carica papaya* leaves were prepared in extract, simplisia and fresh leaves. ICP (induction coupled plasma) analysis was used to identify mineral and electrolyte content. **Results:** Mineral and electrolyte content (mg) per 100 gr *Manihot utilissima* extract : Na (14.75), K (1112), Fe (63.37), Zn (40.24), Al (46.67), Rb (16.87), Ba (16.25) and Cu (8.38). Mineral and electrolyte content (mg) per 100 gr *Carica papaya* extract: Na (21.73), K (574.5), Fe (320.6), Zn (33.22), Al (45.02), Rb (13.78), Ba (12.91) and Cu (1.48). **Conclusions:** Based on the sodium and potassium content, *Manihot utilissima* and *Carica papaya* leaves have potency as anti-hypotension agent.

**Keywords:** *Manihot utilissima*; *Carica papaya*; mineral and electrolyte; blood pressure, hypotension

<sup>1</sup> Lecturer, Departement of Biology, Universitas Negeri Semarang, Indonesia

\* **Corresponding author:** Nugrahaningsih WH, Jurusan Biologi, Universitas Negeri Semarang, Jl. Raya Sekaran-Gunungpati, Semarang 50229. Email : nugrahaningsihwh@mail.unnes.ac.id



## 1. Introduction

Blood pressure depends on cardiac output and peripheral resistance. Many factors influence the value of blood pressure included diet, physical activity, toxins, drug and psychosocial. Orthostatic hypotension is defined as a sustained reduction in systolic blood pressure of at least 20 mm Hg or diastolic blood pressure of 10 mm Hg from the supine to standing position. The definition orthostatic hypotension according to the updated consensus statement by the European Federation of Neurological Societies (Freeman, 2011). The prevalence of orthostatic hypotension about 10-33% (Low & Tomalia, 2015). The prevalence of orthostatic hypotension is high in the elderly and depends on the characteristics of the population studied, such as age, use of medications, and morbidities known to be associated with this problem. Orthostatic hypotension predicts mortality in middle-aged adults. This association is only partly explained by traditional risk factors for cardiovascular disease and overall mortality (Rose et al, 2006).

Many genetic variants have been suggested that partly contribute to the variation of blood pressure response to postural change. Past studies indicate that genes on chromosome 13q and 18q are possibly associated with systolic blood pressure response to postural change (North, 2004; Pankow, 2005). Robert (2002) identified 3435T alleles of *ABCB1* gene as a predictor specific side effect of nortriptyline which caused major clinical problems for more than five patients was postural hypotension. Some mitochondrial DNA mutations are also associated with idiopathic orthostatic hypotension (Schwartz, 1999)

Management of orthostatic hypotension included A-F ways, that are Abdominal compression, Boluses of Water, Bed Up, Counter maneuvers, Drug, Education, Exercise, Fluid and salt. Counter maneuvers i.e. toe-raisin; leg-crossing and contraction; thigh muscle co-contraction; bending at the waist; slow marching in place and leg elevation. Salt supplementation help raised blood pressure of orthostatic hypotension patient. (Figuroa, 2010; Low & Tomalia, 2015).

*Carica papaya* has a wide range of pharmacological activities. The whole plant has its own medicinal value. The leaves of papaya plants contain alkaloids Carpinine, carpaine, vitamin C and E (Aravind, 2013). The studies supports the popular claim of the use of *Carica papaya* leaves in treating Dengue Fever by increasing platelet counts and alleviating symptoms (Ahmad 2011).

*Carica papaya* and *Manihot utilissima* leaves are vegetables commonly eaten by Javanese people. But, both of *Carica papaya* and *Manihot utilissima* leaves not followed eaten by hypertension patient. Javanese people believe that *Carica papaya* and *Manihot utilissima* leaves can increase blood pressure. The hypothetic based on that phenomena are *Carica papaya* and *Manihot utilissima* leaves can increase blood pressure hypertension patient.





## 2. Materials and Methods

### Preparation of plant

2.1. *Manihot utilissima* and *Carica papaya* leaves were prepared in extract, simplisia and fresh. All materials were obtained from Unnes's garden. Preparation of samples was conducted at Laboratory of Biology Universitas Negeri Semarang

### Preparation of extract

One kilogram of *Manihot Utilissima* and *Carica papaya leaves* were dried in oven at temperature 50°C. We got 262 gram of *Manihot utilissima* and 375 gram of *Carica papaya* dried leaves (simplisia). The dried leaves were blended up into flour, and then add distilled water until it reaches a volume of 525 mL (*Manihot utilissima*) and 750 mL (*Carica papaya*). The suspension were stirred for 30 minutes and incubated at room temperature for five days. The supernatant were evaporated at rotary evaporator and were dried in oven at temperature 50°C.

### ICP (Induction Coupled Plasma) Assay

2.2. Extract and simplicia of *Manihot utilissima* and *Carica papaya* were digested before ICP analysis. One gram solid samples were digested with additions of 5 mL aqua regia (mixture of hydrochloric acid (HCl) and nitric acid (HNO<sub>3</sub>) in ratio 2:3). The digestates were heated at low temperature until it becomes clear. The digestates were diluted by addition hydrochloric acid until it reaches 100 mL, and were analyzed by ICP. The blank and working standards were first run followed by the samples. Each sample was analyzed twice, and the data reported as a mean of the analyzed samples. All process of ICP analysis conducted at Laboratory of Chemistry Universitas Negeri Semarang.

## 3. Results and Discussion

ICP analysis identified and detected trace metals content in *Carica papaya* and *Manihot utilissima* leaves. The analysis gave high value of each mineral in both plants. The detail of the result of ICP analysis was shown at table 1 and table 2.

Table 1. Mineral and electrolyte content per 100 gr *Manihot utilissima*

	Value of mineral and electrolyte (mg/100 g)		
	Extract	Simplisia	Fresh leaves
Na	14.75 ± 0.148	14.48 ± 0.062	1.52 ± 0.152
K	1112 ± 9.5	854.4 ± 11.75	72.28 ± 1.497
Fe	63.37 ± 0.348	22.82 ± 0.128	0.73 ± 0.010
Zn	40.24 ± 0.205	13.11 ± 0.032	0.15 ± 0.006





Al	46.67 ± 0.418	9.09 ± 0.132	0
Rb	16.87 ± 0.151	31.49 ± 0.195	12.84 ± 0.665
Ba	16.25 ± 0.181	40.70 ± 0.222	0.17 ± 0.004
Cu	8.38 ± 0.032	2.26 ± 0.002	0

Table 2. Mineral and electrolyte content per 100 gr *Carica papaya*

	Value of mineral and electrolyte (mg/100 g)		
	Extract	Simplicia	Fresh leaves
Na	21.73 ± 0.517	26.83 ± 0.530	12.5 ± 0.592
K	574.5 ± 10.24	1033 ± 12.7	140.7 ± 1.96
Fe	320.6 ± 3.63	32.26 ± 0.371	1.09 ± 0.005
Zn	33.22 ± 0.293	5.58 ± 0.068	0
Al	45.02 ± 0.725	34.10 ± 0.404	0
Rb	13.78 ± 0.276	16.62 ± 0.440	12.84 ± 0.206
Ba	12.91 ± 0.112	11.00 ± 0.113	0.13 ± 0.012
Cu	1.48 ± 0.008	3.04 ± 0.022	0

Sodium, potassium and iron were main constituent of samples related blood pressure. Sodium, potassium and iron contents of the *Carica papaya* leaves were found in this study, more than in raw papaya in previous study (Aravind et.al., 2013). Dickson, et al. (2012) found the high potassium of plant extract of *Manihot utilissima* (3220 mg per 100 gr), but the contents of sodium and iron were low.

It is generally accepted that high sodium intake raises the arterial blood pressure. The physiology of salt intake in the development of hypertension is complex. The lack of the ability of the human kidneys to fully excrete excess sodium is one of the major mechanisms in the association between salt intake and blood pressure (Meneton, 2005). Sodium helps in elevating blood pressure with retention of fluids and increasing of blood volume. The blood pressure needs a volume of blood to pump it that is given by the heart. It is known as cardiac output. Thus, an increasing plasma volume leads to elevated blood pressure.



28

Population studies have demonstrated an association between dietary sodium chloride and blood pressure. (Tzoulaki, 2012). High dietary salt is estimated to contribute in the increase prevalence of hypertension on a population basis. Dietary modifications that lower blood pressure are reduced salt intake, caloric deficit to induce weight loss, moderation of alcohol consumption (among those who drink), increased potassium intake, and consumption of an overall healthy diet, based on the DASH (Dietary Approaches to Stop Hypertension) diet. Opposite with the hypertension, patient with hypotension may need more salt to elevate blood pressure. Hypotension patient need volume expansion with increased fluids and intake, supplemented in some cases with low dose fludrocortisones (Low & Singer, 2008). A study has shown that increased salt intake is associated with increases in plasma volume (El-Sayed, 1996).

Potassium intake influenced peripheral resistance and blood pressure. The effect of potassium intake on blood pressure has been investigated in rat and human. Potassium depletion decreased blood pressure in rat. The decrease of blood pressure in these rats is associated with a decrease in peripheral vascular resistance and impaired pressure response to angiotensin II. Potassium depletion elevated blood pressure in normotensive and hypertensive ingesting normal sodium (Krishna, 1990). Potassium also modified sympathetic activity, but it is not known whether these changes causally related to changes in blood pressure.

There are an association between red blood cell and blood pressure. The association probably mediated by whole blood viscosity. Low level of red blood cell count caused decreasing whole blood viscosity and then lowering cardiac output. Low cardiac output lead decreasing of blood pressure. Iron as a main ingredient of red blood cell can indirectly affect to blood pressure.

Both of *Manihot utilissima* and *Carica papaya* contained amount of sodium, potassium and iron. Thus, the materials were predicted raising the blood pressure. The evidence based of hypotensive agent from herbal, especially *Manihot utilissima* and *Carica papaya* leaves, has not been published. This is preliminary study and need more extended experiment to prove the effect *Manihot utilissima* and *Carica papaya* leaves on blood pressure.

#### 4. Conclusions

2.3. Based on sodium, potassium and iron contents, *Manihot utilissima* and *Carica papaya* leaves have a potency as anti-hypotensive agent. It is proposed more extended experiment to know the effect of *Carica papaya* and *Manihot utilisima* on blood pressure.

#### Acknowledgements

2.4. The research supported by Kementerian Riset Teknologi dan Perguruan Tinggi Indonesia.

#### References

- Ahmad N, Fazal H, Ayaz M, Abbasi BH, Mohammad I and Fazal L. Dengue fever treatment with *Carica papaya* leaves extracts. *Asian Pac J Trop Biomed* 2011; 1(4): 330-333
- Aravind G, Bhowmik D, Duraivel S, Harish G. Traditional and Medicinal Uses of *Carica papaya*. *Journal of Medicinal Plants Studies* 2013; 1(1): 7-15



- Dickson RA, Annan K , Fleischer TC , Amponsah IK , Nsiah K and Oteng JA. Phytochemical Investigations and Nutritive Potential of Eight Selected Plants from Ghana. *Journal of Pharmacy and Nutrition Sciences*, 2012 (2): 172-177
- El-Sayed H & Hainsworth R. Salt supplement increases plasma volume and orthostatic tolerance in patients with unexplained syncope. *Heart* 1996; 75:134-140
- Figueroa JJ, Basford JR and Low PA. Preventing and treating orthostatic hypotension: As easy as A, B, C. *Cleve Clin J Med*. 2010; 77(5): 298–306
- Freeman R, Wieling W, Axelrod FB, et al. Consensus statement on the definition of orthostatic hypotension, neurally mediated syncope and the postural tachycardia syndrome. *Auton Neurosci*.2011;161: 46–48
- Khrisna GG. Effect of Potassium Intake on Blood Pressure. *Journal of the American Society of Nephrology* 1990; 1(1): 43-52
- Low PA & Singer W. Update on management of Neurogenic Orthostatic Hypotension. *Lancet Neurol*. 2008; 7(5): 451–458.
- Low PA & Tomalia VA. Orthostatic Hypotension: Mechanisms, Causes, Management. *J Clin Neurol* 2015; 11(3):220-226
- Meneton, P., Jeunemaitre, X., de Wardener, H. E. and MacGregor, G. A. Links between dietary salt intake, renal salt handling, blood pressure, and cardiovascular diseases. *Physiol. Rev* 2005.85, 679–715
- North KE, Rose KM, Borecki IB, et al. Evidence for a gene on chromosome 13 influencing postural systolic blood pressure change and body mass index. *Hypertension* 2004; 43:780–784
- Pankow JS, Dunn DM, Hunt SC, et al. Further evidence of a quantitative trait locus on chromosome 18 influencing postural change in systolic blood pressure: the Hypertension Genetic Epidemiology Network (HyperGEN) Study. *Am J Hypertens*.2005;1: 672– 678
- Schwartz F, Baldwin CT, Baima J, Gavras H. Mitochondrial DNA mutations in patients with orthostatic hypotension. *Am J Med Genet*. 1999; 86:145–150
- Roberts RL, Joyce PR, Mulder RT, Begg EJ and Kennedy MA. A common P-glycoprotein polymorphism is associated with nortriptyline-induced postural hypotension in patients treated for major depression. *The Pharmacogenomics Journal*(2002)2, 191–196
- Rose KM, Eigenbrodt ML, Biga RL; Couper DJ, Light KC; Sharrett AR, Heiss G. Orthostatic Hypotension Predicts Mortality in Middle-Aged Adults, The Atherosclerosis Risk in Communities (ARIC) Study. *Circulation*. 2006;114:630-636
- Tzoulaki J, Patel CJ, Okamura O, Chan Q., Brown IJ, Miura K, Ueshima H, Zhao L, Horn LV, Daviglus ML, Stamler J, Butte AJ, Ioannidis JPA and Elliott P. A Nutrient-Wide Association Study on Blood Pressure. *Circulation* 2012: 126: 2456-2464

## 20. Proceeding Thailand

---

### ORIGINALITY REPORT

---

17%

SIMILARITY INDEX

11%

INTERNET SOURCES

11%

PUBLICATIONS

9%

STUDENT PAPERS

---

### PRIMARY SOURCES

---

- |   |   |    |
|---|---|----|
| 1 | <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a><br>Internet Source   | 2% |
| 2 | G G Krishna. "Effect of potassium intake on blood pressure.", Journal of the American Society of Nephrology, 1990<br>Publication  | 1% |
| 3 | Ying Gao, Yahui Lin, Kai Sun, Yibo Wang, Jingzhou Chen, Hu Wang, Xianliang Zhou, Xiaohan Fan, Rutai Hui. "Orthostatic Blood Pressure Dysregulation and Polymorphisms of $\beta$ -Adrenergic Receptor Genes in Hypertensive Patients", The Journal of Clinical Hypertension, 2014<br>Publication | 1% |
| 4 | Submitted to Indus international school, Hyderabad<br>Student Paper   | 1% |
| 5 | Submitted to Hibernia College<br>Student Paper  | 1% |
| 6 | <a href="http://www.nature.com">www.nature.com</a><br>Internet Source   | 1% |

---

7	Submitted to University Of Tasmania Student Paper	1 %
8	<a href="http://www.hkmj.org">www.hkmj.org</a> Internet Source	1 %
9	<a href="http://aip.scitation.org">aip.scitation.org</a> Internet Source	1 %
10	<a href="http://sinta3.ristekdikti.go.id">sinta3.ristekdikti.go.id</a> Internet Source	1 %
11	<a href="http://www.mp.pl">www.mp.pl</a> Internet Source	1 %
12	Submitted to Royal College of Surgeons in Ireland Student Paper	1 %
13	<a href="http://sinta.ristekbrin.go.id">sinta.ristekbrin.go.id</a> Internet Source	1 %
14	<a href="http://www.longdom.org">www.longdom.org</a> Internet Source	1 %
15	<a href="http://www.nirmauni.ac.in">www.nirmauni.ac.in</a> Internet Source	<1 %
16	Submitted to Management & Science University Student Paper	<1 %
17	H. El-Sayed, R. Hainsworth. "Salt supplement increases plasma volume and orthostatic	<1 %

---

# tolerance in patients with unexplained syncope.", Heart, 1996

Publication

18

[www.pnas.org](http://www.pnas.org)

Internet Source

<1 %

19

[link.springer.com](http://link.springer.com)

Internet Source

<1 %

20

Submitted to University of Arizona

Student Paper

<1 %

21

[sipeg.univpancasila.ac.id](http://sipeg.univpancasila.ac.id)

Internet Source

<1 %

22

[www.p.chiba-u.jp](http://www.p.chiba-u.jp)

Internet Source

<1 %

23

[www.sigmaaldrich.com](http://www.sigmaaldrich.com)

Internet Source

<1 %

24

[pharm.kku.ac.th](http://pharm.kku.ac.th)

Internet Source

<1 %

25

Elaine R.M. de Almeida, Elaine C.L. Martinelli, Edimar C. Pereira, Leonila E.R. Raspantini, Isis M. Hueza. "Alternative method for oral administration of insoluble toxins to rats. A prenatal study of L-mimosine", Toxicon, 2021

Publication

<1 %

26

[regist.pharmacy.psu.ac.th](http://regist.pharmacy.psu.ac.th)

Internet Source

<1 %



27 [www.absoluteastronomy.com](http://www.absoluteastronomy.com) <1 %  
Internet Source

---

28 [www.biomedcentral.com](http://www.biomedcentral.com) <1 %  
Internet Source

---

29 [journals.lww.com](http://journals.lww.com) <1 %  
Internet Source

---

30 Hyun-Yoon Ko, Sungchul Huh. "Handbook of Spinal Cord Injuries and Related Disorders", Springer Science and Business Media LLC, 2021 <1 %  
Publication

---

31 Md. Moklesur Rahman Sarker, Farzana Khan, Isa Naina Mohamed. "Dengue Fever: Therapeutic Potential of Carica papaya L. Leaves", Frontiers in Pharmacology, 2021 <1 %  
Publication

---

Exclude quotes  On

Exclude matches  < 4 words

Exclude bibliography  On

# 20. Proceeding Thailand

GRADEMARK REPORT

FINAL GRADE

/0

GENERAL COMMENTS

Instructor

PAGE 1

PAGE 2

PAGE 3

PAGE 4

PAGE 5

PAGE 6

PAGE 7

PAGE 8

PAGE 9

PAGE 10

PAGE 11

PAGE 12

PAGE 13

PAGE 14

PAGE 15

PAGE 16