

The FIFA 11+ for kids warm-up program improved balance and leg muscle strength in children (9–12 years old)

by Sri Sumartiningsih

Submission date: 03-May-2023 09:38AM (UTC+0700)

Submission ID: 2082656545

File name: Art_395.pdf (240.13K)

Word count: 3347

Character count: 20109

The FIFA 11+ for kids warm-up program improved balance and leg muscle strength in children (9–12 years old)

SRI SUMARTININGSIH^{1*}, ANGGIT RISDIYANTO², ASHRIL YUSOF³, SETYA RAHAYU⁴, EKO HANDOYO⁵, MARIA AYU PUSPITA⁶, SUGIHARTO⁷, SITI BAITUL MUKARROMAH⁸, LIM BOON HOON⁹, JOHANSYA¹⁰, LUBIS¹⁰, YULINGGA NANDA HANIEF¹¹, RIFQI FESTIAWAN¹², JENS EIBERGER¹³

^{1,2,4,7,8}Sports Science Department, Universitas Negeri Semarang, INDONESIA

^{3,9}Center for Sports and Exercise Sciences, University of Malaya, MALAYSIA

⁴Politic and Citizenship Department, Universitas Negeri Semarang, INDONESIA

⁶Laboratorium of Data Analysis, Pascasarjana Universitas Negeri Semarang, INDONESIA

¹⁰Sports Science Department, Universitas Negeri Jakarta, INDONESIA

¹¹Sport Coaching Education Department, Universitas Negeri Malang, INDONESIA

¹²Sports Science Department, Universitas Jenderal Soedirman, INDONESIA

¹³Physical Coach in Singapore Football Federation, SINGAPORE

Published online: December 25, 2022

(Accepted for publication December 15, 2022)

DOI:10.7752/jpes.2022.12395

Abstract:

Children's physical attributes, especially balance and leg strength, need to improve to reduce injury during football training. Playing football involves acceleration, deceleration, rapidly changing direction, running, jumping, and landing. It requires good physical attributes and strength to avoid injury. The FIFA Medical and Research Centre (F-MARC) developed the FIFA 11+ Kids warm-up program to prevent injury in football. The study's objective was to determine the effect of the FIFA 11+ warm-up program for kids to increase leg muscle strength and balance in youth football (9–12 years old). The study design used a quasi-experiment with one group pretest and post-test design. Thirty participants aged between 7 to 12 years, who were students at a football school, signed informed consent to participate in this study. The FIFA 11+ for kids warm-up program was conducted for 20 min, four times a week, for a month. The data measured static balance by stage with a stroke stand, dynamic balance modified bass test, and leg strength by dynamometer, taken two times before and after the program. The data analysis used a paired t-test and Wilcoxon signed-rank test. The study showed an increased static balance (left leg $\Delta + 8.23$) and (right leg $\Delta + 8.70$), dynamic balance ($\Delta + 5.24$), and leg muscle strength ($\Delta + 23.30$), $p = 0.00$, $p \leq 0.05$, between before and after intervention using the FIFA 11+ for kids warm-up program. Therefore, the FIFA 11+ for kid's warm-up program results in improved static balance, dynamic balance, and leg muscle strength in youth football players.

Key Words: Injury prevention, static balance, dynamic balance, leg strength

Introduction

Football is the most popular sport worldwide, with more than 200 million people who are active in the sport (Barengo et al., 2014). The risk of injury during a football match is higher than during a training session (Ekstrand et al., 2011b; FIFA Communications Division, Information Services, 2006). During tournaments and training sessions, the specific and dominant injuries were in the lower extremities and thigh strain (Ekstrand et al., 2011a, 2011b). Additionally, injury prevention strategies are crucial during weekly macrocycles with high loading, such as competitive seasons where injuries are most common. It is well acknowledged that the amount of training required depends on the age group, training day, week, and position played. Coaches have chance to match training and match variables for static balance, dynamic balance, and leg strength (Jaka Pratama Galeko Et Al., 2022; Marek Tvrđý & Miroslav Holienka, 2022; Muhammad Hamdan et al., 2022)

The FIFA Medical Assessment and Research Center (F-MARC) created a warm-up procedure called FIFA 11+ to lower the rate of injury (Bizzini & Dvorak, 2015b). Various studies have shown that the FIFA 11+ program has a positive effect on athletes by minimizing the risk of injury, increasing performance, and enhancing physical attributes (Bizzini & Dvorak, 2015a; Pardos-Mainer et al., 2019a; Pomares-Noguera et al., 2018a; Rössler, 2016; Rössler et al., 2016; Spurrier, 2019a). The warm-up training program includes seven forms of motion exercises that are performed for a maximum of twenty minutes (Spurrier, 2019b). The motions focus on three training aspects: 1) three exercises for unilateral and dynamic stability of the lower extremities, 2) three exercises for full body strength, and 3) one exercise for the falling technique (Spurrier, 2019b).

The program helps to reduce the injury rate by 20–50% in football players (Al Attar et al., 2016; Soligard et al., 2008). Nevertheless, in Semarang city, Central Java province, Indonesia, the FIFA 11+ warm-up program was minimally used for kids in football clubs (Sumartiningasih et al., 2020). Therefore, we implemented the FIFA 11+ for kids warm-up program.

Corresponding Author: SRI SUMARTININGSIH, E-mail: sri.sumartiningasih@mail.unnes.ac.id

11+ warm-up for kids to evaluate static and dynamic balance and leg muscle strength before and after using the program in youth football players. The impact of the FIFA 11+ as a football player injury prevention program has been investigated in earlier research. Additionally, FIFA 11+'s efficacy in enhancing athletic performance is required for both injury prevention and sport performance. Analyse the FIFA 11+ warm-up program's effectiveness at preventing injuries in football players of 11 genders. This study also aims to assess about how this program affects athletes' performance. Football players' muscle strength, sprint speed, jump height, balance, and proprioception are all factors in their performance. This review's main objective is to determine whether the teams should use the FIFA 11+ training program during their practices. Due to the high danger of injuries, particularly to the lower limbs, in football, the practical applications of this research are crucial. Warm-up regimens are extremely important, which is supported by the fact that these injuries are primarily caused by controllable variables. The FIFA 11+ program's suggestion that these initiatives be simple to implement and inclusive of all players is in line with this (Muhammad Hamdan et al., 2022; Ömer Aksoy et al., 2022; Vlachas & Paraskevopoulos, 2022).

Materials and methods

Ethics

The Human Subjects Committee of the Universitas Negeri Semarang approved the study (No. 146/KEPK/EC/2020). Before the experiment, each participant provided informed written consent. All procedures conformed to the standards of the Declaration of Helsinki.

Subjects

Thirty male children (age, 10.5 ± 1.1 years; height, 141.13 ± 13.8 cm; body mass, 34.8 ± 9.6 kg) volunteered to participate in the FIFA 11+ warm-up program. These children attended a football club in Jatayu Football School in Solo city. Inclusion criteria in the study required the children to follow the entire program without any absence, not take supplements, and have no cardiovascular diseases.

Design

The quasi-experimental study with a 10:3 group pretest and post-test design was designed to analyze the effect of the four-week FIFA 11+ program on static and 8 dynamic balance and muscle strength in youth football players. Before football training, the participants perform the FIFA 11+ warm-up program for 20 min each session for 16 sessions a month.

Measurements

The study was performed on the football field, with a mean temperature of 29°C, 70% humidity, and 10 km/h wind speed; the FIFA 11+ warm-up was performed from 15:00 to 15:20 during each session. The participants were tested for dynamic balance, static balance, and back and leg muscle strength.

Training Programs

The FIFA 11+ kids warm-up program focuses on spatial orientation, anticipation, perception [especially when dual tasking (avoiding unintentional contact with other players or objects)], body stability and movement coordination (common rather than specific) and learning proper falling techniques (to minimize the consequences of unavoidable falls) (Pomares-Noguera et al., 2018b).

The procedure training protocol of Warm up FIFA 11+ Kids




Figure 1. The FIFA 11+ kids warm-up program procedure

11+ing protocol

Anthropometric measurements were taken before physical testing. Standing height (cm) and body mass (kg) were measured.

Static balance. The stock stand test was performed (balancing on left and right foot) by the participants on the outdoor football field.

Dynamic balance. The bass modified test was performed to evaluate the dynamic balance on the outdoor football field.

Leg muscle strength. The back and leg dynamometer test was performed to evaluate the participant's back and leg muscle strength.

Statistical analysis

Paired t-tests for standard data and Wilcoxon test for abnormal data were used to determine differences in pre- and post-intervention effects. All results were presented as the mean ± standard deviation (SD). The type 1 error of 5% or less in comparing mean differences was considered significant.

Results

The characteristic data of the participants is shown in Table 2.

Table 1. Characteristics data of the participants (n = 30)

Parameter	Pretest Mean ± SD	Post-test Mean ± SD
Age (year)	10.5 ± 1.2	10.6 ± 1.2
Height (cm)	141.1 ± 13.8	141.1 ± 13.8
Body weight (kg)	34.9 ± 9.6	35.0 ± 9.5
BMI (kg/cm ²)	17.3 ± 2.2	17.4 ± 2.2

Static balance

Figure 1 shows the static balance for the right and left leg before and after the FIFA 11+ kids warm-up program. Both legs showed similar increased static balance ($p = 0.00 < 0.05$).

Dynamic balance

Figure 2 shows the dynamic balance condition before and after the FIFA 11+ kids warm-up program. The dynamic balance improved by +5.67 after the intervention ($p = 0.00 < 0.05$).

Leg muscle strength

Figure 3 shows the leg muscle strength before and after the FIFA+ kids warm-up program. The leg strength increased by +23.30 kg after the warmup program ($p = 0.00 < 0.05$).




Figure 2. Static balance for the right and left leg; the paired t-test analysis showed significance difference between pretest and post-test, $p < 0.05$.




Figure 3. Dynamic balance before and after the intervention using the FIFA 11+ kids warm-up program; Wilcoxon analysis, $p = 0.000 < 0.05$




Figure 4. Leg muscle strength compared pre- and post-FIFA 11+ kids warm-up program; the paired t-test analysis was used, $p = 0.000 < 0.05$.

Discussions

The obtained results showed that the FIFA 11+ warm-up program performed for 20 min, 4 times/week for 1 month can improve static and dynamic balance in 9–12-year-old boys. A previous study showed that the FIFA 11+ warm-up program improved the balance of futsal players in high school students in Narmada (Yusuf et al., 2018). The score for right leg static balance at the pretest was 50 for only seven participants (23.3%). After the program, the score increased to 58 for 9 participants (30%). The left leg static balance before the program showed a score of 45 in 13.3% of the participants. After the program, the score increased to 60 for 9 participants. Our study was in line with the previous study. The FIFA 11+ warm-up program increased stability better than normal warm-ups in children under 10 years old (Gatterer et al., 2018). In the right foot static balance test, the pretest score was 49 for as many as 7 (23.3%) samples, while the post-test results increased by 9 scores or 27% to the pre-test.

Similar to a previous study, our study reported that the FIFA 11+ warm-up program increased dynamic balance in football athletes aged 18–20 years (Mu'allimah & Wijianto, 2019). Our study obtained a similar result. Specifically, dynamic balance increased by +5.67 from 26.7% of the participants to 33.3% in football school students aged 9–12 years old. Another study found that six weeks of FIFA 11+ warm-up improved dynamic balance in young soccer players (Dunsky et al., 2017). This study found a significant increase of 53% in leg muscle strength in 9–12-year-old football school students. Based on the leg muscle strength, the obtained results confirmed that the FIFA 11+ warm-up program reduced injuries by 21–32% in the lower extremities in 13–19 years old football players (Pardos-Mainer et al., 2019b) and by almost 50% in 7–13-year-old football players (Spurrier, 2019b).

Conclusions

The study concluded that The FIFA 11+ Kids warm-up program for 20 minutes each session in 16 times, improved static balance and dynamic balance as well as leg muscle strength in children 9-12 years old at Football club in Semarang city. FIFA 11+ Kid warm-up program aims to avoid injury and improve physical attributes of football players. The physical attributes like static balance, dynamic balance, and leg strength effect on their performance during game. Enhance physical attributes is a key to avoid and reduce injury in athletes. Recommendation to the coaches apply FIFA 11+ warming up program to improve physical performance and injury prevention in their young athletes.

Conflicts of interest

The authors declare that there are no conflicts of interest.

Acknowledgment

The authors would like to thank Falcon Scientific Editing (<https://falconediting.com>) for proofreading the English language in this paper.

References:

Al Attar, W. S. A., Soomro, N., Pappas, E., Sinclair, P. J., & Sanders, R. H. (2016). How Effective are F-MARC Injury Prevention Programs for Soccer Players? A Systematic Review and Meta-Analysis. *Sports Medicine*, 46(2), 205–217. <https://doi.org/10.1007/s40279-015-0404-x>

- Barengo, N. C., Meneses-Echávez, J. F., Ramírez-Vélez, R., Cohen, D. D., Tovar, G., & Bautista, J. E. C. (2014). The Impact of the FIFA 11+ Training Program on Injury Prevention in Football Players: A Systematic Review. *International Journal of Environmental Research and Public Health*, 11(11), 11986–12000. <https://doi.org/10.3390/ijerph11111986>
- Bizzini, M., & Dvorak, J. (2015a). FIFA 11+: An effective programme to prevent football injuries in various player groups worldwide—A narrative review. *British Journal of Sports Medicine*, 49(9), 577–579.
- Bizzini, M., & Dvorak, J. (2015b). FIFA 11+: An effective programme to prevent football injuries in various player groups worldwide—a narrative review. *British Journal of Sports Medicine*, 49(9), 577–579. <https://doi.org/10.1136/bjsports-2015-094765>
- Dunsky, A., Barzilay, I., & Fox, O. (2017). Effect of a specialized injury prevention program on static balance, dynamic balance and kicking accuracy of young soccer players. *World Journal of Orthopedics*, 8(4), 317. <https://doi.org/10.5312/wjo.v8.i4.317>
- Ekstrand, J., Hägglund, M., & Waldén, M. (2011a). Epidemiology of Muscle Injuries in Professional Football (Soccer). *The American Journal of Sports Medicine*, 39(6), 1226–1232. <https://doi.org/10.1177/0363546510395879>
- Ekstrand, J., Hägglund, M., & Waldén, M. (2011b). Injury incidence and injury patterns in professional football: The UEFA injury study. *British Journal of Sports Medicine*, 45(7), 553–558. <https://doi.org/10.1136/bjism.2009.060582>
- FIFA Communications Division, Information Services. (2006). *FIFA Big Count 2006: 270 million people active in football*. FIFA Communications Division, Information Services. <https://digitalhub.fifa.com/m/556219fde8ea7b4/original/mzid0qmguixkcmruvema-pdf.pdf>
- Gatterer, H., Lorenzi, D., Ruedl, G., & Burtcher, M. (2018). The “FIFA 11+” injury prevention program improves body stability in child (10-year-old) soccer players. *Biology of Sport*, 35(2), 153–158. <https://doi.org/10.5114/biolsport.2018.71604>
- Jaka Pratama Galeko, Sulistiyono, Carles Nyoman Wali, Suharjana, Michael, Johannes Hadiwijaya Louk, Komarudin, Guntur, & Martono. (2022). Single leg hop and double leg hop exercises on leg muscle strength on leg power for soccer athletes. *Journal of Physical Education and Sport*, 22(10). <https://doi.org/10.7752/jpes.2022.10327>
- Marek Tvrđý & Miroslav Holienka. (2022). Effectiveness of repeated sprint ability (RSA) development in youth soccer players. *Journal of Physical Education and Sport*, 22(10). <https://doi.org/10.7752/jpes.2022.10321>
- Mu'allimah, N., & Wijianto, F. (2019). *Pengaruh Program 11+ Exercise Untuk Meningkatkan Keseimbangan Dinamis Pada Atlet Sepak Bola [The Influence of the 11+ Exercise Program to Increase Dynamic Balance in Soccer Athletes]* [S1, Universitas Muhammadiyah Surakarta]. <https://doi.org/10/PERNYATAAN%20PUBLIKASI.pdf>
- Muhammad Hamdan, Raihana Sharir, Wee Kian Yeo, Raja Mohammed Firhad Raja, & Azidin. (2022). Soccer players' perceptions on injury risk and prevention strategies. *Journal of Physical Education and Sport*, 22(10). <https://doi.org/10.7752/jpes.2022.10301>
- Ömer Aksoy, Tuba Kizilet Bozdoğan, Mehmet Soyol, & Mehmet Murat Beyaz. (2022). The examination of VO2MAX and anaerobic threshold values in elite soccer players by their positions. *Journal of Physical Education and Sport*, 22(10). <https://doi.org/10.7752/jpes.2022.10317>
- Pardos-Mainer, E., Casajús, J. A., & Gonzalo-Skok, O. (2019a). Adolescent female soccer players' soccer-specific warm-up effects on performance and inter-limb asymmetries. *Biology of Sport*, 36(3), 199–207.
- Pardos-Mainer, E., Casajús, J. A., & Gonzalo-Skok, O. (2019b). Adolescent female soccer players' soccer-specific warm-up effects on performance and inter-limb asymmetries. *Biology of Sport*, 36(3), 199–207. <https://doi.org/10.5114/biolsport.2019.85453>
- Pomares-Noguera, C., Ayala, F., Robles-Palazón, F. J., Alomoto-Burneo, J. F., López-Valenciano, A., Elvira, J. L., Hernández-Sánchez, S., & De Ste Croix, M. (2018a). Training effects of the FIFA 11+ kids on physical performance in youth football players: A randomized control trial. *Frontiers in Pediatrics*, 6, 40.
- Pomares-Noguera, C., Ayala, F., Robles-Palazón, F. J., Alomoto-Burneo, J. F., López-Valenciano, A., Elvira, J. L., Hernández-Sánchez, S., & De Ste Croix, M. (2018b). Training Effects of the FIFA 11+ Kids on Physical Performance in Youth Football Players: A Randomized Control Trial. *Frontiers in Pediatrics*, 6. <https://www.frontiersin.org/articles/10.3389/fped.2018.00040>
- Rössler, R. (2016). *11 for kids Manual. A warm-up programme to prevent injuries in children's football*. FIFA Medical and research centre.
- Rössler, R., Donath, L., Bizzini, M., & Faude, O. (2016). A new injury prevention programme for children's football – FIFA 11+ Kids – can improve motor performance: A cluster-randomised controlled trial. *Journal of Sports Sciences*, 34(6), 549–556. <https://doi.org/10.1080/02640414.2015.1099715>
- Soligard, T., Myklebust, G., Steffen, K., Holme, I., Silvers, H., Bizzini, M., Junge, A., Dvorak, J., Bahr, R., & Andersen, T. E. (2008). Comprehensive warm-up programme to prevent injuries in young female footballers: Cluster randomised controlled trial. *BMJ*, 337, a2469. <https://doi.org/10.1136/bmj.a2469>

- Spurrier, D. (2019a). The 11+ Kids' warm-up program performed at least once a week reduces severe and lower extremity injuries in children playing football [commentary]. *Journal of Physiotherapy*, 65(1), 53. <https://doi.org/10.1016/j.jphys.2018.10.001>
- Spurrier, D. (2019b). The 11+ Kids' warm-up program performed at least once a week reduces severe and lower extremity injuries in children playing football [commentary]. *Journal of Physiotherapy*, 65(1), 53. <https://doi.org/10.1016/j.jphys.2018.10.001>
- Sumartiningsih, S., Sugiharto, S., Eiberger, J., Risdiyanto, A., & Yusof, A. (2020). The Application of FIFA 11+ Injury Prevention Program on Youth Football Club in Semarang City. *Proceedings of the 5th International Seminar of Public Health and Education, ISPHE 2020, 22 July 2020, Universitas Negeri Semarang, Semarang, Indonesia*. Proceedings of the 5th International Seminar of Public Health and Education, ISPHE 2020, 22 July 2020, Universitas Negeri Semarang, Semarang, Indonesia. <https://doi.org/10.4108/cai.22-7-2020.2300314>
- Vlachas, T., & Paraskevopoulos, E. (2022). The Effect of the FIFA 11+ on Injury Prevention and Performance in Football: A Systematic Review with Meta-Analysis. *BioMed*, 2(3), Article 3. <https://doi.org/10.3390/biomed2030026>
- Yusuf, P. M., Suprawesta, L., & Zainuddin, F. (2018). Program Latihan FIFA 11 Plus Terhadap Peningkatan Kondisi Fisik Siswa Ekstrakurikuler SMA NW NARMADA [FIFA 11 Plus Exercise Program for Improving the Physical Conditions of NW Narmada High School Extracurricular Students]. *Jurnal Pendidikan Olahraga dan Kesehatan IKIP Mataram*, 5(8), 79–81. <https://doi.org/10.33394/gjipok.v5i2.1318>

The FIFA 11+ for kids warm-up program improved balance and leg muscle strength in children (9–12 years old)

ORIGINALITY REPORT

19%

SIMILARITY INDEX

16%

INTERNET SOURCES

15%

PUBLICATIONS

9%

STUDENT PAPERS

PRIMARY SOURCES

1	mdpi-res.com Internet Source	2%
2	Submitted to Universitas Negeri Jakarta Student Paper	2%
3	Submitted to University of Central Lancashire Student Paper	2%
4	ojs.unpkediri.ac.id Internet Source	2%
5	Submitted to Liberty University Student Paper	1%
6	Submitted to Charotar University of Science And Technology Student Paper	1%
7	Khoiril Anam, Sri Sumartiningsih, Dhias Fajar Widya Permana, Risti Nurfadhila, Eva Ayu Aditia. "FIFA 11+ kids can increase muscle strength: A 12 weeks treatment", Jurnal SPORTIF : Jurnal Penelitian Pembelajaran, 2022	1%

8	digitalcommons.winthrop.edu Internet Source	1 %
9	lib.unnes.ac.id Internet Source	1 %
10	res.mdpi.com Internet Source	1 %
11	journals.humankinetics.com Internet Source	1 %
12	Submitted to Waterford Institute of Technology Student Paper	1 %
13	Submitted to SUNY College of Technology at Delhi Student Paper	1 %
14	Theodosios Vlachas, Eleftherios Paraskevopoulos. "The Effect of the FIFA 11+ on Injury Prevention and Performance in Football: A Systematic Review with Meta-Analysis", BioMed, 2022 Publication	1 %
15	Submitted to Universitas Negeri Semarang Student Paper	1 %
16	"Return to Play in Football", Springer Science and Business Media LLC, 2018 Publication	1 %

17

pubmed.ncbi.nlm.nih.gov

Internet Source

1 %

18

www.pubmedcentral.nih.gov

Internet Source

1 %

Exclude quotes Off

Exclude matches < 1%

Exclude bibliography On